



NACHI BEARINGS OF AMERICA CORP.



6203 Bearing 2D drawings and 3D CAD models

6203 6205z 6206 6207 6208 6209 6210 SKF NSK
Bearing 20X35X10

Bearing No. 6203

Size	40x17x12 mm
Bore Diameter	40 mm
Outer Diameter	17 mm
Width	12 mm
d	17 mm
D	40 mm
B	12 mm
d ₁	24.5 mm
D ₂	34.98 mm
r _{1,2} - min.	0.6 mm
d _a - min.	21.2 mm
D _a - max.	35.8 mm
r _a - max.	0.6 mm
Basic dynamic load rating - C	10 kN
Basic static load rating - C ₀	4.8 kN
Fatigue load limit - P _u	0.2 kN
Reference speed	38000 r/min
Limiting speed	24000 r/min
Calculation factor - k _r	0.025
Calculation factor - f ₀	13
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A



NACHI BEARINGS OF AMERICA CORP.

Weight / Kilogram	0.065
EAN	7316577087393
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	17MM Bore; 40MM Outside Diameter; 12MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	6203
Weight / LBS	0.15
Bore	0.669 Inch 17 Millimeter
Outer Race Width	0.472 Inch 12 Millimeter
Outside Diameter	1.575 Inch 40 Millimeter
d ₁	24.5 mm
D ₂	34.98 mm
d _a min.	21.2 mm



NACHI BEARINGS OF AMERICA CORP.

D_a max.	35.8 mm
r_a max.	0.6 mm
Basic dynamic load rating C	9.95 kN
Basic static load rating C_0	4.75 kN
Fatigue load limit P_u	0.2 kN
Calculation factor k_r	0.025
Calculation factor f_0	13
Mass bearing	0.065 kg